



48 PORT  
PATCH PANEL

**KEYED NOTES**

- ① EXAMPLE FOR CONCENTRATOR LOCATION ROOM 221  
CONCENTRATOR DESIGNATION: QCE-221
- LABEL 24 PORT PATCH PANEL: QCE221-221-V01
- PORT 1 LABEL: 01-04
- PORT 2 LABEL: 05-08
- PORT 3 LABEL: 09-12
- PORT 4 LABEL: 13-16
- PORT 5 LABEL: 17-20
- PORT 6 LABEL: 21-24
- 110 BLOCK CABLE END LABEL: 221-V01
- PATCH PANEL CABLE END LABEL: 221-V01

- ② 25-PAIR CABLE(S) FROM CONCENTRATORS ROUTED BEHIND PATCH PANEL.

**GENERAL NOTES**

- 1. LABELING STANDARD EXAMPLES ARE BASED ON CHICAGO PUBLIC SCHOOLS SPECIFICATIONS. REFERENCE SPECIFICATION SECTION: 27 05 53.

**CHICAGO PUBLIC SCHOOLS**  
**CAPITAL IMPROVEMENT PROGRAM**  
**INFORMATION TECHNOLOGY SERVICES**  
**INFRASTRUCTURE STANDARDS**  
**TYPICAL 48 PORT PATCH PANEL LABELING SCHEME**  
**24/25 PR CAT 5E CABLES**  
**FROM CONCENTRATOR**

					DESIGNED CPS					SHEET NO.			
					DRAWN CPS					PROJECT NUMBER	SCALE NONE	DATE 12/19/17	ED.110
					CHECKED CPS								
					APPROVED CPS								
NO.	DATE	REVISION	BY										